

Message

---

**From:** Chin, Lucita [Chin.Lucita@epa.gov]  
**Sent:** 7/22/2020 6:55:49 PM  
**To:** Minter, Douglas [Minter.Douglas@epa.gov]; Arnold, Rick [Arnold.Rick@epa.gov]  
**CC:** DInnocenzo, Benjamin [Dinnocenzo.Benjamin@epa.gov]  
**Subject:** RE: FR for Class V wells

Go ahead and plug it in, and I'll review when I do your sections. Thanks!

Lucita Chin

Senior Assistant Regional Counsel | Office of Regional Counsel | Media Law Counseling Section  
Environmental Protection Agency Region 8 | 1595 Wynkoop St. | Mail Code: 8ORC-LC-M | Denver, CO 80202  
Office: (303) 312-7832

---

**From:** Minter, Douglas <Minter.Douglas@epa.gov>  
**Sent:** Wednesday, July 22, 2020 12:17 PM  
**To:** Arnold, Rick <Arnold.Rick@epa.gov>  
**Cc:** DInnocenzo, Benjamin <Dinnocenzo.Benjamin@epa.gov>; Chin, Lucita <Chin.Lucita@epa.gov>  
**Subject:** RE: FR for Class V wells

Hi Rick: here is at least a summary of what we should include in our response(s). Lucita may want to add more and/or edit:

# Ex. 5 AC/DP

Douglas

---

**From:** Arnold, Rick <Arnold.Rick@epa.gov>  
**Sent:** Wednesday, July 22, 2020 11:36 AM  
**To:** Minter, Douglas <Minter.Douglas@epa.gov>  
**Subject:** FR for Class V wells

Hi Douglas,

Because you've been working on the FR issues related to the Class V Dewey Burdock wells, I'm wondering if you can help with one of Powertech's comments.

Could you please let me know if the requested change is acceptable or if not, why not? Let me know if you would like me to set up a meeting to discuss.

Thanks.

## Ex. 5 Deliberative Process (DP)

# **Ex. 5 Deliberative Process (DP)**

Rick Arnold  
Physical Scientist  
USEPA Region 8 Underground Injection Control Program  
(303) 312-6788